



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 First edition: 23/06/2016 Last revision: 26/06/2024 Supersedes version of: 20/12/2022 Version: 3.2

	ubstance/mixture and of the company/undertaking
1.1. Product identifier	1 Mixture
Product form	: Mixture
	: Air Shot Fresh
Product number	: 04.0161.0002
.2. Relevant identified uses of the sul	bstance or mixture and uses advised against
.2.1. Relevant identified uses	
Main use category	: Industrial use,Professional use
Jse of the substance or preparation	: Air Shot is a silicone-free instant scent explosion for small and large spaces. A powerful solution to quickly eliminate unpleasant odours and thus create a pleasant working and living environment within the shortest time possible.
1.2.2. Uses advised against	
No additional information available	
I.3. Details of the supplier of the safet	y data sheet
PCS Innotec International NV	
Schans 4 BE - 2480 Dessel	
T.: +32 (0) 14 32 60 01	
=.: +32 (0) 14 32 60 12	
nse@innotec.eu	
Distributor:	
nnotec Supplies Ltd.	
Jnit 25 Glenmore Business Park,	
Felford RD	
JK - SP2 7GL Salisbury, Wiltshire Г.: +44 (0)1722411744	
: +44 (0)1722411788	
F.: +44 (0)1722411788 info@innotecworld.com	
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French	, German, Dutch):
nfo@innotecworld.com 1.4. Emergency telephone number	, German, Dutch):
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45	
nfo@innotecworld.com I.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification	
nfo@innotecworld.com I.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification	
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC	mixture) no 1272/2008 (CLP)
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1	mixture
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1	mixture) no 1272/2008 (CLP)
nfo@inhotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3	mixture) no 1272/2008 (CLP) H222;H229
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3	mixture) no 1272/2008 (CLP) H222;H229 H336 H412
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health a	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health a No additional information available	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health ar No additional information available 2.2. Label elements	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16 nd environmental effects
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health a No additional information available 2.2. Label elements Labelling according to Regulation (EC) No.	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16 nd environmental effects
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health a No additional information available 2.2. Label elements Labelling according to Regulation (EC) No.	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16 nd environmental effects
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health a No additional information available 2.2. Label elements Labelling according to Regulation (EC) No.	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16 nd environmental effects 1272/2008 [CLP]
Info@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health an No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. Hazard pictograms (CLP)	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16 ind environmental effects 1272/2008 [CLP] ightharpoondown in the image of the im
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health and No additional information available 2.2. Label elements Labelling according to Regulation (EC) No. Hazard pictograms (CLP) Signal word (CLP)	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16 nd environmental effects 1272/2008 [CLP] GHS02 GHS07 : Danger
nfo@innotecworld.com 1.4. Emergency telephone number 24h/24h (Telephone advice: English, French BIG : +32 (0) 14 58 45 45 SECTION 2: Hazards identification 2.1. Classification of the substance or Classification according to Regulation (EC Aerosol 1 STOT SE 3 Aquatic Chronic 3 Full text of hazard classes, H- and EUH-stater Adverse physicochemical, human health a No additional information available 2.2. Label elements Labelling according to Regulation (EC) No.	mixture) no 1272/2008 (CLP) H222;H229 H336 H412 ments: see section 16 ind environmental effects 1272/2008 [CLP] ightharpoondown in the image of the im

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

	H336 - May cause drowsiness or dizziness. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P251 - Do not pierce or burn, even after use. P260 - Do not breathe spray. P211 - Do not spray on an open flame or other ignition source. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
Extra phrases	: Without adequate ventilation formation of explosive mixtures may be possible.
2.3. Other hazards	

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances Not applicable

Name	Due du et i de stifie s	0/	Ole seifis stiens secondinants Demulation
Name	Product identifier	%	Classification according to Regulation (EC) no 1272/2008 (CLP)
Propane	CAS number: 74-98-6 EINECS / ELINCS number: 200-827-9 REACH-no: 01-2119486944- 21	25 – 50	Flam. Gas 1A, H220 Press. Gas
Pentane	CAS number: 109-66-0 EINECS / ELINCS number: 203-692-4 EC Index-No.: 601-006-00-1 REACH-no: 01-2119459286- 30	20 – 25	Flam. Liq. 2, H225 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Butane	CAS number: 106-97-8 EINECS / ELINCS number: 203-448-7 REACH-no: 01-2119474691- 32	20 – 25	Flam. Gas 1A, H220 Press. Gas
Isobutane (Contains < 0,1% butadiene (203-450-8))	CAS number: 75-28-5 EINECS / ELINCS number: 200-857-2 REACH-no: 01-2119485395- 27	20 – 25	Flam. Gas 1A, H220 Press. Gas (Comp.), H280
Propan-2-ol	CAS number: 67-63-0 EINECS / ELINCS number: 200-661-7 REACH-no: 01-2119457558- 25	2,5 – 5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures	
General advice	: Get medical advice/attention if you feel unwell.
Inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: No irritant effect.
Eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Ingestion	: Drink plenty of water. Call a poison center or a doctor if you feel unwell. Move to fresh air.
4.2. Most important symptoms and effects,	both acute and delayed
Inhalation	: May cause drowsiness or dizziness.
Skin contact	: Repeated exposure may cause skin dryness or cracking.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol resistant foam. Dry powder. Carbon dioxide. Water spray.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the substa	ance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Toxic gases.
5.3. Advice for firefighters	
Firefighting instructions	: Prevent fire fighting water from entering the environment. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: Wear suitable protective clothing.	
6.1.1. For non-emergency personnel		
Protective equipment	: Refer to protective measures listed in Sections 7 and 8.	
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify aut	horities if liquid enters sewers or public waters.	
6.3. Methods and material for containment a	nd cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This product and its container must be disposed of in a safe way, and as per local legislation. Do not flush with aqueous cleansing agents.	
Other information	: Provide adequate ventilation.	
6.4. Reference to other sections		

information available

7.1. Precautions for safe handling	
Additional hazards when processed	: Do not pierce or burn, even after use. In use, may form flammable vapour-air mixture. Do not spray on a naked flame or any incandescent material. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50°C.
Precautions for safe handling	Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Provide good ventilation in process area to prevent formation of vapour. Take precautionary measures against static discharge. Eliminate all ignition sources if safe to do so.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Do not expose to temperatures exceeding 50 °C. Protect from sunlight. Store in a well- ventilated place. Store in a well-ventilated place. Keep in fireproof place. Smoking is forbidden. Observe official regulations on storing packagings with pressurized containers. Keep away from ignition sources.
Technical condition(s)	: Store in a well-ventilated place. The floor of the depot should be impermeable and designed to form a water-tight basin.
Special rules on packaging	: Store under dry conditions. Store in a closed container. Keep only in original container.

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
8.1.1 National occupational exposure and biological	limit values		
Pentane (109-66-0)			
EU - Indicative Occupational Exposure Limit (IOEL)			
Local name	Pentane		
IOEL TWA	3000 mg/m ³		
	1000 ppm		
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC		
United Kingdom - Occupational Exposure Limits			
Local name	Pentane		
WEL TWA (OEL TWA)	1800 mg/m³		
	600 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Butane (106-97-8)			
United Kingdom - Occupational Exposure Limits			
Local name	Butane		
WEL TWA (OEL TWA)	1450 mg/m ³		
	600 ppm		
WEL STEL (OEL STEL)	1810 mg/m³		
	750 ppm		
Remark	Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene)		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Propan-2-ol (67-63-0)			
United Kingdom - Occupational Exposure Limits			
Local name	Propan-2-ol		
WEL TWA (OEL TWA)	999 mg/m³		
	400 ppm		
WEL STEL (OEL STEL)	1250 mg/m³		
	500 ppm		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

In case of inadequate ventilation wear respiratory protection.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

No additional information available

8.2.2.2. Skin protection

No additional information available

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapour under TLV. Recommended: filter for organic vapours (type A). Extra personal protection: P3 filter respirator for toxic particles

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid Colour : Colourless. Appearance : Aerosol. Odour : characteristic. Odour threshold : Not available Melting point/melting range : Not available		
Physical state: LiquidColour: Colourless.Appearance: Aerosol.Odour: characteristic.Odour threshold: Not available		
Appearance: Aerosol.Odour: characteristic.Odour threshold: Not available		
Odour : characteristic. Odour threshold : Not available		
Odour threshold : Not available		
Melting point/melting range : Not available		
Freezing point : Not available		
Boiling point/range : Not applicable, since the product is an aerosol.		
Flammability : Not available		
Explosive limits : 1,4 – 10,9 vol %		
Lower explosion limit : Not available		
Upper explosion limit : Not available		
Flash point : Not applicable, since the product is an aerosol.		
Auto-ignition temperature : Not available		
Decomposition temperature : Not available		
pH : Not available		
Viscosity, kinematic : Not available		
Solubility : Water: Insoluble		
Partition coefficient n-octanol/water (Log Kow) : Not available		
Vapour pressure : 3500 hPa		
Vapour pressure at 20 °C : Not available		
Density : Not available		
Relative density (water = 1) : 0,6		
Vapour density : Not available		
Particle characteristics : Not applicable		
9.2. Other information		
9.2.1. Information with regard to physical hazard classes		
Explosion limits $: 1,4 - 10,9$ vol %		
9.2.2. Other safety characteristics		
V.O.C. (V.O.S.) : 570 g/l		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity
10.1. Reactivity
Extremely flammable aerosol. In use, may form flammable/explosive vapour-air mixture.
10.2. Chemical stability
Stable under normal conditions.
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
No additional information available
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No additional information available

C1.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity (kernal) : Not classified Acute toxicity (kernal) : Stated on available data, the classification criteria are not met Pertane (109-66-0)	SECTION 11: Toxicological information	
Acute toxicity (oral) Not classified Acute toxicity (inhalation) Not classified Acute toxicity (inhalation) Not classified Acute toxicity (inhalation) Not classified Pertane (109-66-0) LD50/oral/rat > 5000 mg/kg LD50/aral/rat > 2500 mg/kg LD50/aral/ratbit > 2500 mg/kg LC50/inhalation/4h/rat 25.3 mg/m³ Butane (106-97-8) LC50/inhalation/4h/rat 658000 mg/m³ Propan-2-ol (67-63-0) LD50/armal/rabbit 13900 mg/kg LC50 inhalation rat > 25 mg/m² (4h) Skin corosion/irritation Not classified Additional information Based on available data, the classification criteria are not met Serious eye damage/irri	11.1. Information on hazard classes as define	d in Regulation (EC) No 1272/2008
Acute toxicity (inhalation) : Not classified Additional Information : Based on available data, the classification criteria are not met Pentane (109-66-0) : LD50/oral/rat > 5000 mg/kg LD50/oral/rat > 5000 mg/kg LD50/oral/rat > 5000 mg/kg LD50/oral/rat > 5000 mg/kg LD50/oral/rat 25.3 mg/m² Butane (106-67-8) - LC50/inhalation/4h/rat 56900 mg/kg LD50/oral/rat 56400 mg/kg LD50/oral/rat 56400 mg/kg LD50/oral/rat 56400 mg/kg LD50/oral/rat 5640 mg/kg LD50/oral/rat 5640 mg/kg LD50/oral/rat 5640 mg/kg LD50/oral/rat 5840 mg/kg LD50/oral/rat Sead on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information Based on available data, the classification criteria are not met Carcinogenicity : Not classified		: Not classified
Additional information : Based on available data, the classification criteria are not met Pentane (109-66-0)		
Pentane (109-66-0) LD50/oral/rat > 5000 mg/kg LD50 dermal rat > 2500 mg/kg LD50/dermal/rabbit > 5000 mg/kg LC50/inhalation/4h/rat 25.3 mg/m² Butane (106-87-8) - LC50/inhalation/4h/rat 658000 mg/kg LC50/inhalation/4h/rat 658000 mg/m² Propan-2-ol (67-63-0) - LD50/dermal/rabbit 13900 mg/kg LC50 inhalation rat > 25 mg/m² (4h) Skin corrosion/irritation Not classified Additional information Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information Based on available data, the classification criteria are not met Garcinogenicity : Not classified Additional information Based on available data, the classification criteria are not met Garcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met <td></td> <td></td>		
LD50/oral/rat > 5000 mg/kg LD50 dermal rat > 2500 mg/kg LD50/dermal/rabbit > 5000 mg/kg LC50/inhalation/4h/rat 25,3 mg/m³ Butane (106-97-8)	Additional information	: Based on available data, the classification criteria are not met
LD50 dermal rat > 2500 mg/kg LD50/dermal/rabbit > 5000 mg/kg LC50/inhalation/4h/rat 25,3 mg/m³ Butane (106-97-8) LC50/inhalation/4h/rat 658000 mg/m³ Propan-2-01 (67-63-0) LD50/dermal/rabbit 13900 mg/kg LC50 inhalation/4h/rat 5840 mg/kg LD50/rat/rat 5840 mg/kg LC50 inhalation rat > 25 mg/m² (4h) Skin corrosion/inflation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/inflation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified	Pentane (109-66-0)	
LD50/dermal/rabbit > 5000 mg/kg LC50/inhalation/4h/rat 25,3 mg/m³ Butane (106-97-8) 658000 mg/m³ Propan-2-ol (67-63-0) 1000 mg/kg LD50/dermal/rabbit 13900 mg/kg LD50/inhalation/4h/rat 5840 mg/kg LD50/inhalation/4h/rat 5840 mg/kg LD50/inhalation rat > 25 mg/m³ (4h) Skin corrosion/initation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met	LD50/oral/rat	> 5000 mg/kg
LCS0/inhalation/41/rat 25.3 mg/m³ Butane (106-97-8)	LD50 dermal rat	> 2500 mg/kg
Butane (106-97-8) LC50/inhalation/4h/rat 658000 mg/m³ Propan-2-0l (67-63-0) LD50/oral/rat 5840 mg/kg LD50/oral/rat 13900 mg/kg LC50 inhalation rat > 25 mg/m³ (4h) Skin corrosion/lritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinggenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information <t< td=""><td>LD50/dermal/rabbit</td><td>> 5000 mg/kg</td></t<>	LD50/dermal/rabbit	> 5000 mg/kg
LC50/inhalation/4h/rat 658000 mg/m³ Propan-2-ol (67-63-0) ED50/oral/rat LD50/oral/rat 5840 mg/kg LD50/oral/rat 13900 mg/kg LC50 inhalation rat > 25 mg/m³ (4h) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met String exposure : May cause drowsiness or dizziness. Additional information : Based on available data, the classification criteria are not met	LC50/inhalation/4h/rat	25,3 mg/m ³
Propan-2-ol (67-63-0) LD50/oral/rat 5840 mg/kg LD50/dermal/rabbit 13900 mg/kg LC50 inhalation rat > 25 mg/m³ (4h) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met StoT-single exposure : May cause	Butane (106-97-8)	
LD50/oral/rat 5840 mg/kg LD50/dermal/rabbit 13900 mg/kg LC50 inhalation rat > 25 mg/m³ (4h) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met StoT-single exposure : May cause drowsiness or dizziness. Additiona	LC50/inhalation/4h/rat	658000 mg/m³
LD50/demal/rabbit 13900 mg/kg LC50 inhalation rat > 25 mg/m³ (4h) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : May cause drowsiness or dizziness. Additional information : Based on available data, the classification criteria are not met	Propan-2-ol (67-63-0)	
LC50 inhalation rat > 25 mg/m³ (4h) Skin corrosion/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Serious eye damage/irritation : Not classified Additional information : Based on available data, the classification criteria are not met Respiratory or skin sensitisation : Not classified Additional information : Based on available data, the classification criteria are not met Germ cell mutagenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Carcinogenicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met Reproductive toxicity : Not classified Additional information : Based on available data, the classification criteria are not met STOT-single exposure : M	LD50/oral/rat	5840 mg/kg
Det CVSkin corrosion/irritation: Not classifiedAdditional information: Based on available data, the classification criteria are not metSerious eye damage/irritation: Not classifiedAdditional information: Based on available data, the classification criteria are not metRespiratory or skin sensitisation: Not classifiedAdditional information: Based on available data, the classification criteria are not metGern cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metGern cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0): May cause drowsiness or dizziness.STOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0): May cause drowsiness or dizziness.STOT-single exposureMay cause drowsin	LD50/dermal/rabbit	13900 mg/kg
Additional information: Based on available data, the classification criteria are not metSerious eye damage/irritation: Not classifiedAdditional information: Based on available data, the classification criteria are not metRespiratory or skin sensitisation: Not classifiedAdditional information: Based on available data, the classification criteria are not metGerm cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0): May cause drowsiness or dizziness.STOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0): Sot classifiedSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classified <td>LC50 inhalation rat</td> <td>> 25 mg/m³ (4h)</td>	LC50 inhalation rat	> 25 mg/m ³ (4h)
Serious eye damage/irritation: Not classifiedAdditional information: Based on available data, the classification criteria are not metRespiratory or skin sensitisation: Not classifiedAdditional information: Based on available data, the classification criteria are not metGerm cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0): May cause drowsiness or dizziness.STOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0): May cause drowsiness or dizziness.STOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria a	Skin corrosion/irritation	: Not classified
Additional information: Based on available data, the classification criteria are not metRespiratory or skin sensitisation: Not classifiedAdditional information: Based on available data, the classification criteria are not metGern cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Pentane (109-66-0): StoT-single exposureSTOT-single exposure: May cause drowsiness or dizziness.Propan-2-ol (67-63-0): StoT-single exposureSTOT-repeated exposure: Not classifiedSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation: Not classifiedAdditional information: Based on available data, the classification criteria are not metGern cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0):STOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0):STOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.STOT-single exposure: May cause drowsiness or dizziness.STOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Serious eye damage/irritation	: Not classified
Additional information: Based on available data, the classification criteria are not metGerm cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0):STOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0):STOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metPropan-2-ol (67-63-0):STOT-single exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0):STOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0):STOT-single exposureMay cause drowsiness or dizziness.STOT-repeated exposure: Not classifiedAdditional information: Sased on available data, the classification criteria are not metAdditional information: Based on available data, the classification criteria are not metPropan-2-ol (67-63-0):STOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Respiratory or skin sensitisation	: Not classified
Additional information: Based on available data, the classification criteria are not metCarcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metSTOT-single exposureMay cause drowsiness or dizziness.Pentane (109-66-0)STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0)STOT-single exposureSTOT-repeated exposureMay cause drowsiness or dizziness.STOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metSTOT-single exposure: Based on available data, the classification criteria are not metPentane (109-66-0): Based on available data, the classification criteria are not metSTOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0): May cause drowsiness or dizziness.STOT-single exposureMay cause drowsiness or dizziness.STOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Germ cell mutagenicity	: Not classified
Additional information: Based on available data, the classification criteria are not metReproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metSTOT-single exposure: Based on available data, the classification criteria are not metPentane (109-66-0): Based on available data, the classification criteria are not metSTOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0): STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.STOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity: Not classifiedAdditional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0)STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.Propan-2-ol (67-63-0)STOT-single exposureSTOT-single exposureMay cause drowsiness or dizziness.STOT-repeated exposureMay cause drowsiness or dizziness.STOT-repeated exposure: Not classifiedAdditional information: Based on available data, the classification criteria are not met	Carcinogenicity	: Not classified
Additional information: Based on available data, the classification criteria are not metSTOT-single exposure: May cause drowsiness or dizziness.Additional information: Based on available data, the classification criteria are not metPentane (109-66-0)	Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure : May cause drowsiness or dizziness. Additional information : Based on available data, the classification criteria are not met Pentane (109-66-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. Propan-2-ol (67-63-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Intervention Additional information : Not classified Additional information : Based on available data, the classification criteria are not met	Reproductive toxicity	: Not classified
Additional information : Based on available data, the classification criteria are not met Pentane (109-66-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. Propan-2-ol (67-63-0) STOT-single exposure STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Image: Stot classified Additional information : Not classified Stot classified : Based on available data, the classification criteria are not met	Additional information	: Based on available data, the classification criteria are not met
Pentane (109-66-0) STOT-single exposure May cause drowsiness or dizziness. Propan-2-ol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met	STOT-single exposure	: May cause drowsiness or dizziness.
STOT-single exposure May cause drowsiness or dizziness. Propan-2-ol (67-63-0) STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure Image: Stot classified Image: Stot classified Additional information : Based on available data, the classification criteria are not met	Additional information	: Based on available data, the classification criteria are not met
Propan-2-ol (67-63-0) May cause drowsiness or dizziness. STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met	Pentane (109-66-0)	
STOT-single exposure May cause drowsiness or dizziness. STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met	STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure : Not classified Additional information : Based on available data, the classification criteria are not met	Propan-2-ol (67-63-0)	
Additional information : Based on available data, the classification criteria are not met	STOT-single exposure	May cause drowsiness or dizziness.
	STOT-repeated exposure	: Not classified
Aspiration hazard : Not classified	Additional information	: Based on available data, the classification criteria are not met
	Aspiration hazard	: Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Additional information

: Based on available data, the classification criteria are not met

11.2. Information on other hazards
No additional information available

SECTION 12: Ecological information	
	: Not classified
Hazardous to the aquatic environment, long–term (chronic)	: Harmful to aquatic life with long lasting effects.
Pentane (109-66-0)	
LC50/96h/fish	1 – 10 mg/l
EC50/48h/daphnia magna	9,7 mg/l
Propan-2-ol (67-63-0)	
LC50/96h/fish	9640 mg/l dynamic
LC50 - Other aquatic organisms [1]	9714 mg/l 48h, daphnia magna
12.2. Persistence and degradability No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil No additional information available	
12.5. Results of PBT and vPvB assessment No additional information available	
12.6. Endocrine disrupting properties No additional information available	
12.7. Other adverse effects	
Other adverse effects	: Harmful to fishes.
Additional information	: Do not discharge into drains or rivers. Avoid release to the environment. Danger of pollution of drinking water when product enters the soil. Harmful to aquatic organisms

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Regional waste regulation	: Disposal must be done according to official regulations.
European List of Waste (LoW, EC 2000/532)	: 20 01 13* - solvents 15 01 04 - metallic packaging

SECTION 14: Transport information	
In accordance with ADR / IMDG / IATA	
14.1. UN number or ID number	
UN-No. (ADR)	: UN 1950
UN-No. (IMDG)	: UN 1950
UN-No. (IATA)	: UN 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: AEROSOLS, flammable
Proper Shipping Name (IMDG)	: AEROSOLS
Proper Shipping Name (IATA)	: Aerosols, flammable
Transport document description (ADR)	: UN 1950 AEROSOLS, flammable, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2
Transport document description (IATA)	: UN 1950 Aerosols, flammable, 2.1
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1

2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

IMDG	
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1
	2
	•
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 2.1
Danger labels (IATA)	: 2.1
	2
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No
Further information	: No supplementary information available
14.6. Special precautions for user	
Overland transport	. 41
Limited quantities (ADR)	: 11
Tunnel restriction code	: D
Transport by sea	
Limited quantities (IMDG)	:1L
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Air transport	
No data available	
14.7. Maritime transport in bulk accordi	ng to IMO instruments
Not applicable	
SECTION 15: Regulatory informatio	
15.1 Safety health and environmental	regulations/legislation specific for the substance or mixture

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

V.O.C. (V.O.S.)

: 570 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of ch	Indication of changes			
Section	Changed item	Change	Comments	
	Last revision	Modified		
	Supersedes	Modified		
8.2	Personal protective equipment	Modified		
9.1	Solubility in water	Modified		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		
11.1	Additional information	Added		

Full text of H- and EUH-statements:		
Aerosol 1	Aerosol, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
EUH066	Repeated exposure may cause skin dryness or cracking.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	
Flam. Liq. 2	Flammable liquids, Category 2	
H220	Extremely flammable gas.	
H222	Extremely flammable aerosol.	
H225	Highly flammable liquid and vapour.	
H229	Pressurised container: May burst if heated.	
H280	Contains gas under pressure; may explode if heated.	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H304	May be fatal if swallowed and enters airways.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Press. Gas	Gases under pressure	
Press. Gas (Comp.)	Gases under pressure : Compressed gas	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

Disclaimer with regard to REACH:

The information provided in this Safety Data Sheet is consistent with the information in the Chemical Safety Report, as far as this information was available at the time of compilation (see last revision date).

Disclaimer:

The information of this Safety Data Sheet is based on the present state of our knowledge and on current EC and national laws, as the users' working conditions are beyond our knowledge and control. The user is always responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this Safety Data Sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information provided relates only to the specific product designated and may not be valid for such product used in combination with any other product. The product must not be used for any purposes other than those specified without first obtaining written handling instructions.