

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
First edition: 1/12/1998 Last revision: 11/04/2024 Supersedes version of: 20/12/2022 Version: 11.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Name : Fast-Glue 1  
Product number : 01.0611.6100

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Main use category : Industrial use, Professional use  
Use of the substance or preparation : Highly fluid instant glue for rubber and soft plastics.

#### 1.3. Details of the supplier of the safety data sheet

PCS Innotec International NV  
Schans 4  
BE - 2480 Dessel  
T.: +32 (0) 14 32 60 01  
F.: +32 (0) 14 32 60 12  
hse@innotec.eu

Distributor:  
Innotec Supplies Ltd.  
Unit 25 Glenmore Business Park,  
Telford RD  
UK - SP2 7GL Salisbury, Wiltshire  
T.: +44 (0)1722411744  
info@innotecworld.com

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):  
BIG : +32 (0) 14 58 45 45

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) no 1272/2008 (CLP)

Skin Irrit. 2 H315  
Eye Irrit. 2 H319  
STOT SE 3 H335

Full text of hazard classes, H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning  
Contains : Ethyl 2-Cyanoacrylate  
Hazard statements (CLP) : H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H335 - May cause respiratory irritation.  
Precautionary statements (CLP) : P261 - Avoid breathing vapours.  
P302+P352 - IF ON SKIN: Wash with plenty of water, soap.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a POISON CENTER, a doctor if you feel unwell.  
EUH-statements : EUH202 - Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

#### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) no 1272/2008 (CLP)
Ethyl 2-Cyanoacrylate	CAS number: 7085-85-0 EINECS / ELINCS number: 230-391-5 REACH-no: 01-2119527766-29	70 – 90	Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315
1,4-dihydroxybenzene; hydroquinone; quinol	CAS number: 123-31-9 EINECS / ELINCS number: 204-617-8 EC Index-No.: 604-005-00-4	< 0,1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400 (M=10)

#### Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
Ethyl 2-Cyanoacrylate	CAS number: 7085-85-0 EINECS / ELINCS number: 230-391-5 REACH-no: 01-2119527766-29	(10 ≤ C ≤ 100) STOT SE 3; H335

Full text of H- and EUH-statements: see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General advice	: Get medical advice/attention if you feel unwell. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
Inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Do not try to pull the lips with a direct opposing action.
Eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not try to open the eyes by manipulation.
Ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Call a POISON CENTER/doctor if you feel unwell. Never give anything by mouth to an unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: May cause respiratory irritation.
Skin contact	: Causes skin irritation.
Eyes contact	: Causes serious eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Explosion hazard	: May form an explosive mixture in the presence of air.
Hazardous decomposition products in case of fire	: Cyanides. Nitrogen oxides. Carbon monoxide. Carbon dioxide.

#### 5.3. Advice for firefighters

Firefighting instructions	: Prevent fire fighting water from entering the environment. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Wear suitable protective clothing. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

#### For non-emergency personnel

Protective equipment : Refer to protective measures listed in Sections 7 and 8.

Emergency procedures : Evacuate unnecessary personnel.

#### For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This product and its container must be disposed of in a safe way, and as per local legislation. Mechanically recover the product.

#### 6.4. Reference to other sections

Stable in use and storage conditions as recommended in item 7. Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Provide good ventilation in process area to prevent formation of vapour. Take precautionary measures against static discharge. Eliminate all ignition sources if safe to do so.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from moisture.

Incompatible products : Oxidizing agent.

Technical condition(s) : Store in a well-ventilated place. The floor of the depot should be impermeable and designed to form a water-tight basin.

Special rules on packaging : Keep container tightly closed and dry. Keep only in original container. Keep out of frost.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### National occupational exposure and biological limit values

Ethyl 2-Cyanoacrylate (7085-85-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethyl cyanoacrylate
WEL STEL (OEL STEL)	1,5 mg/m <sup>3</sup>
	0,3 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
1,4-dihydroxybenzene; hydroquinone; quinol (123-31-9)	
United Kingdom - Occupational Exposure Limits	
Local name	Hydroquinone
WEL TWA (OEL TWA)	0,5 mg/m <sup>3</sup>
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

##### DNEL and PNEC

Ethyl 2-Cyanoacrylate (7085-85-0)	
DNEL/DMEL (Workers)	
Acute - systemic effects, inhalation	9,25 mg/m <sup>3</sup>

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Ethyl 2-Cyanoacrylate (7085-85-0)	
Acute - local effects, inhalation	9,25 mg/m³
Long-term - systemic effects, inhalation	9,25 mg/m³
Long-term - local effects, inhalation	9,25 mg/m³
DNEL/DMEL (General population)	
Acute - systemic effects, inhalation	9,25 mg/m³
Acute - local effects, inhalation	9,25 mg/m³
Long-term - systemic effects, inhalation	9,25 mg/m³
Long-term - local effects, inhalation	9,25 mg/m³
1,4-dihydroxybenzene; hydroquinone; quinol (123-31-9)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	3,33 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	2,1 mg/m³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	0,6 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	1,05 mg/m³
Long-term - systemic effects, dermal	1,66 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,57 µg/l
PNEC aqua (marine water)	0,057 µg/l
PNEC aqua (intermittent, freshwater)	1,34 µg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	4,9 µg/kg dw
PNEC sediment (marine water)	0,49 µg/kg dw
PNEC (Soil)	
PNEC soil	0,64 µg/kg dw
PNEC (STP)	
PNEC sewage treatment plant	0,71 mg/l

### 8.2. Exposure controls

#### Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protection equipment

##### Personal protective equipment:

In case of inadequate ventilation wear respiratory protection. Gloves. Safety glasses.

##### Personal protective equipment symbol(s):



#### Eye and face protection

##### Eye protection:

Wear security glasses which protect from splashes

#### Skin protection

##### Skin protection:

Wear suitable protective clothing

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Hand protection:

Where hand contact with the product may occur, the use of gloves (approved according to the EN374 standard) made from the following materials may provide suitable chemical protection: Nitrile rubber. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available. In this case a lower breakthrough time may be acceptable as long as appropriate glove maintenance and replacement regimes are rigorously followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Depending on model and material, glove thickness generally should be greater than 0,35 mm. Suitability and durability of a glove is dependent on usage (= frequency and duration of contact), chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.

### Respiratory protection

#### Respiratory protection:

Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapour under TLV

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: Not available
Melting point/melting range	: Not available
Freezing point	: Not available
Boiling point/range	: 150 °C
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 87 °C
Auto-ignition temperature	: 500 °C
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 20 °C	: Not available
Density	: Not available
Relative density (water = 1)	: 1,05 (20 °C)
Vapour density	: Not available
Particle characteristics	: Not applicable

### 9.2. Other information

#### Other safety characteristics

V.O.C. (V.O.S.) : 20 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Do not allow water (or moist air) contact with this material. Polymerization.

### 10.4. Conditions to avoid

Overheating. Protect against frost. Direct sunlight.

### 10.5. Incompatible materials

Strong oxidizing agents. Strong acids.

### 10.6. Hazardous decomposition products

No additional information available

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Ethyl 2-Cyanoacrylate (7085-85-0)	
LD50/oral/rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50/dermal/rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

1,4-dihydroxybenzene; hydroquinone; quinol (123-31-9)	
LD50/dermal/rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause respiratory irritation.

Ethyl 2-Cyanoacrylate (7085-85-0)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

#### 11.2. Information on other hazards

No additional information available

### SECTION 12: Ecological information

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Not classified (Based on available data, the classification criteria are not met)

1,4-dihydroxybenzene; hydroquinone; quinol (123-31-9)	
LC50/96h/fish	0,638 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50/24h/daphnia magna	0,134 mg/l Test organisms (species): Daphnia magna
EC50/48h/daphnia magna	0,061 mg/l Test organisms (species): Daphnia magna

#### 12.2. Persistence and degradability

Fast-Glue 1	
Persistence and degradability	May biodegrade.

Ethyl 2-Cyanoacrylate (7085-85-0)	
Persistence and degradability	Rapidly degradable

1,4-dihydroxybenzene; hydroquinone; quinol (123-31-9)	
Persistence and degradability	Rapidly degradable

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.7. Other adverse effects

#### Fast-Glue 1

General information(s)

Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.  
Waste / unused products : Avoid release to the environment.  
European List of Waste (LoW, EC 2000/532) : 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous substances  
15 01 02 - plastic packaging

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

### 14.1. UN number or ID number

UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : UN 3334

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Aviation regulated liquid, n.o.s.  
Transport document description (ADR) (ADR) :  
Transport document description (IATA) : UN 3334 Aviation regulated liquid, n.o.s. (Ethyl 2-Cyanoacrylate), 9, III

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : Not applicable

#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

#### IATA

Transport hazard class(es) (IATA) : 9  
Danger labels (IATA) : 9



### 14.4. Packing group

Packing group (ADR) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : III

### 14.5. Environmental hazards

Dangerous for the environment : No  
Marine pollutant : No  
Further information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

PCA Excepted quantities (IATA) : E1  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA max net quantity (IATA) : 450L

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

##### Council Regulation (EC) for the control of dual-use items

Contains no substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

##### VOC Directive (2004/42)

V.O.C. (V.O.S.) : 20 g/l

##### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Indication of changes		
Section	Changed item	Comments
	Supersedes	Added
	Last revision	Modified
	Section(s) changed compared to the previous issue	Added
	ERG code (IATA)	Added
	Special provisions (IATA)	Added
	CAO max net quantity (IATA)	Added
	CAO packing instructions (IATA)	Added
	PCA max net quantity (IATA)	Added
	PCA packing instructions (IATA)	Added
	PCA limited quantity max net quantity (IATA)	Added
	PCA Limited quantities (IATA)	Added
	Proper Shipping Name (IATA)	Added
	Danger labels (IATA)	Added

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes		
Section	Changed item	Comments
	PCA Excepted quantities (IATA)	<b>Added</b>
	Previous revision	<b>Modified</b>
3	Composition/information on ingredients	<b>Modified</b>
4.1	Skin contact	<b>Modified</b>
4.1	Ingestion	<b>Modified</b>
4.2	Skin contact	<b>Modified</b>
4.2	Eyes contact	<b>Modified</b>
8.2	Respiratory protection	<b>Modified</b>
8.2	Hand protection	<b>Modified</b>
8.2	Eye protection	<b>Modified</b>
9.1	Odour threshold [ppm]	<b>Added</b>
9.1	Boiling point/range	<b>Modified</b>
9.2	V.O.C. (V.O.S.)	<b>Modified</b>
10.5	Material(s) to avoid	<b>Modified</b>
13.1	European List of Waste (LoW, EC 2000/532)	<b>Modified</b>
14.1	UN-No. (IATA)	<b>Added</b>
14.4	Packing group (IATA)	<b>Added</b>
15.1	V.O.C. (V.O.S.)	<b>Modified</b>

Abbreviations and acronyms:	
	WGK = Wassergefährdungsklasse
	vPvB = very Persistent and very Bioaccumulative
	VOC = Volatile Organic Compounds
	VME = Valeur Limite de Moyenne d'exposition
	VLE = Valeur Limite d'exposition
	VLA-ED = valores límite ambientales para la exposición diaria
	VLA-EC = valores límite ambientales para la exposición de corta duración
	UEL = Upper Explosion Limit
	TWA = time weighted average
	TRGS = Technischen Regeln für Gefahrstoffe
	TLV = Threshold Limit Value
	SVHC = Substance of Very High Concern
	STOT SE = specific target organ toxicity single exposure
	STOT RE = specific target organ toxicity repeated exposure
	STEL = Short term exposure limit
	RID = Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail).
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	PNEC = Predicted No-Effect Concentration
	PBT = Persistent, bioaccumulative and toxic
	OEL = Occupational Exposure Limits

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

	NDSch = Najwyższe Dopuszczalne Stężenie Chwilowe
	NDS = Najwyższe Dopuszczalne Stężenie
	N.O.S. = Not Otherwise Specified
	MAL-kode = Måleteknisk Arbejdshygiejnisk Luftbehov
	MAK = Maximale Arbeitsplatzkonzentrationen
	LEL = Lower Explosion Limit
	LD50 = Lethal dose, 50 percent
	LC50 = Lethal concentration, 50 percent
	IOELV = Indicative Occupational Exposure Limit Value (EU)
	IMDG = International Maritime Code for Dangerous Goods
	ICAO = International Civil Aviation Organization
	IATA = International Air Transport Association
	HTP = Haitallisiksi tunnetut pitoisuudet
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	EINECS/ELINCS = European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.
	DSD = Dangerous Substance Directive
	DPD = Dangerous Preparation Directive
	DNEL = Derived No-Effect Level
	DMEL = Derived Minimal Effect Level
	CSR = Chemical Safety Report
	CLP = Classification, labelling and packaging
	CAS = Chemical Abstracts Service
	ATE = Acute Toxicity Estimate
	ADR = Accord européen sur le transport des marchandises dangereuses par Route
	ACGIH = American Conference of Governmental Industrial Hygienists

### Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.

# Fast-Glue 1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
EUH202	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

SDS PCS Innotec 2025

Disclaimer with regard to REACH:

The information provided in this Safety Data Sheet is consistent with the information in the Chemical Safety Report, as far as this information was available at the time of compilation (see last revision date).

Disclaimer:

The information of this Safety Data Sheet is based on the present state of our knowledge and on current EC and national laws, as the users' working conditions are beyond our knowledge and control. The user is always responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this Safety Data Sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information provided relates only to the specific product designated and may not be valid for such product used in combination with any other product. The product must not be used for any purposes other than those specified without first obtaining written handling instructions.