

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
 First edition: 15/05/1997 Last revision: 5/02/2024 Supersedes version of: 21/12/2022 Version: 17.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
 Name : High-Tef Oil 500 ml  
 Product number : 03.1176.9999

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
 Use of the substance or preparation : High-quality, silicone-free PTFE-based lubricating oil. Provides perfect long-lasting lubrication and loosens seized parts.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

PCS Innotec International NV  
 Schans 4  
 BE - 2480 Dessel  
 T.: +32 (0) 14 32 60 01  
 F.: +32 (0) 14 32 60 12  
 hse@innotec.eu

Distributor:  
 Innotec Supplies Ltd.  
 Unit 25 Glenmore Business Park,  
 Telford RD  
 UK - SP2 7GL Salisbury, Wiltshire  
 T.: +44 (0)1722411744  
 F.: +44 (0)1722411788  
 info@innotecworld.com

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):  
 BIG : +32 (0) 14 58 45 45

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) no 1272/2008 (CLP)

|                   |           |
|-------------------|-----------|
| Aerosol 1         | H222;H229 |
| Skin Irrit. 2     | H315      |
| STOT SE 3         | H336      |
| Asp. Tox. 1       | H304      |
| Aquatic Chronic 3 | H412      |

Full text of hazard classes, H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

Signal word (CLP) : Danger

Contains : Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane; pentane

Hazard statements (CLP) : H222 - Extremely flammable aerosol.  
 H229 - Pressurised container: May burst if heated.

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                |   |
|--------------------------------|---|
| Precautionary statements (CLP) | H315 - Causes skin irritation.<br>H336 - May cause drowsiness or dizziness.<br>H412 - Harmful to aquatic life with long lasting effects.<br>: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br>P211 - Do not spray on an open flame or other ignition source.<br>P251 - Do not pierce or burn, even after use.<br>P273 - Avoid release to the environment.<br>P260 - Do not breathe spray.<br>P280 - Wear protective gloves.<br>P312 - Call a POISON CENTRE or doctor if you feel unwell.<br>P403+P233 - Store in a well-ventilated place. Keep container tightly closed.<br>P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |
| Extra phrases                  | : Without adequate ventilation formation of explosive mixtures may be possible.   |

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name   | Product identifier   | %        | Classification according to Regulation (EC) no 1272/2008 (CLP)  |
|--|--|----------|---|
| Butane<br>(Contains < 0,1% butadiene (203-450-8))                    | CAS number: 106-97-8<br>EINECS / ELINCS number:<br>203-448-7<br>REACH-no: 01-2119474691-32                               | 10 – 25  | Flam. Gas 1A, H220<br>Press. Gas  |
| Propane  | CAS number: 74-98-6<br>EINECS / ELINCS number:<br>200-827-9<br>REACH-no: 01-2119486944-21                                | 2,5 – 10 | Flam. Gas 1A, H220<br>Press. Gas  |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics,<br><5% n-hexane | CAS number: 92128-66-0<br>EINECS / ELINCS number:<br>921-024-6<br>REACH-no: 01-2119475514-35                             | 2,5 – 10 | Flam. Liq. 2, H225<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411                                |
| Pentane  | CAS number: 109-66-0<br>EINECS / ELINCS number:<br>203-692-4<br>EC Index-No.: 601-006-00-1<br>REACH-no: 01-2119459286-30 | 2,5 – 10 | Flam. Liq. 2, H225<br>STOT SE 3, H336<br>Asp. Tox. 1, H304<br>Aquatic Chronic 2, H411   |
| Isobutane (Contains < 0,1% butadiene (203-450-8))                    | CAS number: 75-28-5<br>EINECS / ELINCS number:<br>200-857-2<br>REACH-no: 01-2119485395-27                                | 1 – 2,5  | Flam. Gas 1A, H220<br>Press. Gas (Comp.), H280  |
| 2-(2-heptadec-8-enyl-2-imidazoline-1-yl)ethanol                      | CAS number: 95-38-5<br>EINECS / ELINCS number:<br>204-414-9<br>REACH-no: 01-2119777867-13                                | < 0,025  | Acute Tox. 4 (Oral), H302<br>Skin Corr. 1B, H314<br>Eye Dam. 1, H318<br>STOT RE 2, H373<br>Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410 |

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General advice : Get medical advice/attention if you feel unwell.

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|              |  |
|--------------|--|
| Inhalation   | : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.                  |
| Skin contact | : If skin irritation occurs: Get medical advice/attention.   |
| Eye contact  | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Ingestion    | : Call a POISON CENTER/doctor if you feel unwell. Do NOT induce vomiting.  |

### 4.2. Most important symptoms and effects, both acute and delayed

|              |                                      |
|--------------|--------------------------------------|
| Inhalation   | : May cause drowsiness or dizziness. |
| Skin contact | : Causes skin irritation.            |

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Water spray. Carbon dioxide. Dry powder. Alcohol resistant foam. |
| Unsuitable extinguishing media | : Do not use a heavy water stream.                                 |

### 5.2. Special hazards arising from the substance or mixture

|                  |  |
|------------------|--|
| Fire hazard      | : Extremely flammable aerosol.                     |
| Explosion hazard | : May form flammable/explosive vapour-air mixture. |

### 5.3. Advice for firefighters

|                                |   |
|--------------------------------|---|
| Firefighting instructions      | : Prevent fire fighting water from entering the environment. Use water spray or fog for cooling exposed containers. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection.                     |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

|                  |                                      |
|------------------|--------------------------------------|
| General measures | : Wear suitable protective clothing. |
|------------------|--------------------------------------|

#### 6.1.1. For non-emergency personnel

|                      |  |
|----------------------|--|
| Protective equipment | : Refer to protective measures listed in Sections 7 and 8. |
| Emergency procedures | : Evacuate unnecessary personnel.                          |

#### 6.1.2. For emergency responders

|                      |  |
|----------------------|--|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Ventilate area.                            |

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

|                         |  |
|-------------------------|--|
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. This product and its container must be disposed of in a safe way, and as per local legislation. Do not flush with water. |
| Other information       | : Provide adequate ventilation.  |

### 6.4. Reference to other sections

Stable in use and storage conditions as recommended in item 7. Concerning personal protective equipment to use, see section 8. Concerning disposal/elimination after cleaning, see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                                   |  |
|-----------------------------------|--|
| Additional hazards when processed | : Do not pierce or burn, even after use. Pressurised container. Protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not spray on a naked flame or any incandescent material. In use, may form flammable vapour-air mixture.                                  |
| Precautions for safe handling     | : Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Provide good ventilation in process area to prevent formation of vapour. Take precautionary measures against static discharge. Eliminate all ignition sources if safe to do so. |
| Hygiene measures                  | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.  |

### 7.2. Conditions for safe storage, including any incompatibilities

|                    |   |
|--------------------|---|
| Technical measures | : Proper grounding procedures to avoid static electricity should be followed.   |
| Storage conditions | : Do not expose to temperatures exceeding 50 °C. Keep in fireproof place. Smoking is forbidden. Protect from sunlight. Store in a well-ventilated place. Store in a dry place. Keep away from ignition sources. |

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                            |   |
|----------------------------|---|
| Technical condition(s)     | : Store in a well-ventilated place. Protect from heat and direct sunlight. The floor of the depot should be impermeable and designed to form a water-tight basin. |
| Special rules on packaging | : Store in a closed container. Keep only in original container. Store under dry conditions.   |

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

|   |  |
|---|--|
| <b>Butane (106-97-8)</b>                                  |  |
| <b>United Kingdom - Occupational Exposure Limits</b>      |  |
| Local name  | Butane   |
| WEL TWA (OEL TWA)   | 1450 mg/m <sup>3</sup><br>600 ppm  |
| WEL STEL (OEL STEL)                                       | 1810 mg/m <sup>3</sup><br>750 ppm  |
| Remark  | Carc (Capable of causing cancer and/or heritable genetic damage, only applies if Butane contains more than 0.1% of buta-1,3-diene) |
| Regulatory reference                                      | EH40/2005 (Fourth edition, 2020). HSE  |
| <b>Pentane (109-66-0)</b>                                 |  |
| <b>EU - Indicative Occupational Exposure Limit (IOEL)</b> |  |
| Local name  | Pentane  |
| IOEL TWA  | 3000 mg/m <sup>3</sup><br>1000 ppm   |
| Regulatory reference                                      | COMMISSION DIRECTIVE 2006/15/EC  |
| <b>United Kingdom - Occupational Exposure Limits</b>      |  |
| Local name  | Pentane  |
| WEL TWA (OEL TWA)   | 1800 mg/m <sup>3</sup><br>600 ppm  |
| Regulatory reference                                      | EH40/2005 (Fourth edition, 2020). HSE  |

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

|  |                          |
|--|--------------------------|
| <b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt;5% n-hexane (92128-66-0)</b> |                          |
| <b>DNEL/DMEL (Workers)</b>   |                          |
| Long-term - systemic effects, dermal   | 773 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation   | 2035 mg/m <sup>3</sup>   |
| <b>DNEL/DMEL (General population)</b>  |                          |
| Long-term - systemic effects, oral   | 699 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation   | 608 mg/m <sup>3</sup>    |
| Long-term - systemic effects, dermal   | 699 mg/kg bodyweight/day |

#### 8.1.5. Control banding

No additional information available

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

##### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

##### Personal protective equipment:

Gloves. Safety glasses. In case of inadequate ventilation wear respiratory protection.

##### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

##### Eye protection:

Wear security glasses which protect from splashes

#### 8.2.2.2. Skin protection

##### Skin protection:

Wear suitable protective clothing

##### Hand protection:

Where hand contact with the product may occur, the use of gloves (approved according to the EN374 standard) made from the following materials may provide suitable chemical protection: Nitrile rubber. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available. In this case a lower breakthrough time may be acceptable as long as appropriate glove maintenance and replacement regimes are rigorously followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Depending on model and material, glove thickness generally should be greater than 0,35 mm. Suitability and durability of a glove is dependent on usage (= frequency and duration of contact), chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

Filter AX (brown). Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapour under TLV

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                             |  |
|-----------------------------|--|
| Physical state              | : Liquid   |
| Colour                      | : Yellow-brown.                                    |
| Appearance                  | : Aerosol.   |
| Odour                       | : characteristic.                                  |
| Odour threshold             | : Not available                                    |
| Melting point/melting range | : Not available                                    |
| Freezing point              | : Not available                                    |
| Boiling point/range         | : Not applicable, since the product is an aerosol. |
| Flammability                | : Not available                                    |
| Explosive limits            | : 0,8 – 10,9 vol %                                 |
| Lower explosion limit       | : Not available                                    |
| Upper explosion limit       | : Not available                                    |
| Flash point                 | : Not applicable, since the product is an aerosol. |
| Auto-ignition temperature   | : Not self-igniting                                |
| Decomposition temperature   | : Not available                                    |
| pH                          | : Not available                                    |

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |                                   |
|---|-----------------------------------|
| Viscosity, kinematic                            | : ≤ 20,5 mm <sup>2</sup> /s 40 °C |
| Solubility                                      | : Water: Practically not miscible |
| Partition coefficient n-octanol/water (Log Kow) | : Not available                   |
| Vapour pressure                                 | : 2100 hPa (20 °C)                |
| Vapour pressure at 20 °C                        | : Not available                   |
| Density   | : Not available                   |
| Relative density (water = 1)                    | : 0,735 (20 °C)                   |
| Vapour density                                  | : Not available                   |
| Particle characteristics                        | : Not applicable                  |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

Explosion limits : 0,8 – 10,9 vol %

#### 9.2.2. Other safety characteristics

V.O.C. (V.O.S.) : 296,8 g/l

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Extremely flammable aerosol. In use, may form flammable/explosive vapour-air mixture.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

| Butane (106-97-8)  |                          |
|--|--------------------------|
| LC50/inhalation/4h/rat   | 658000 mg/m <sup>3</sup> |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0) |                          |
| LD50/oral/rat  | > 5840 mg/kg             |
| LD50/dermal/rabbit   | > 2920 mg/kg             |
| LC50/inhalation/4h/rat   | > 25 mg/l                |
| Pentane (109-66-0)   |                          |
| LD50/oral/rat  | > 5000 mg/kg             |
| LD50 dermal rat  | > 2500 mg/kg             |
| LD50/dermal/rabbit   | > 5000 mg/kg             |
| LC50/inhalation/4h/rat   | 25,3 mg/m <sup>3</sup>   |

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)

|                      |                                    |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|

### Pentane (109-66-0)

|                      |                                    |
|----------------------|------------------------------------|
| STOT-single exposure | May cause drowsiness or dizziness. |
|----------------------|------------------------------------|

STOT-repeated exposure : Not classified

### 2-(2-heptadec-8-enyl-2-imidazoline-1-yl)ethanol (95-38-5)

|                        |  |
|------------------------|--|
| STOT-repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
|------------------------|--|

Aspiration hazard : May be fatal if swallowed and enters airways.

### High-Tef Oil 500 ml

|                      |                                 |
|----------------------|---------------------------------|
| Viscosity, kinematic | ≤ 20,5 mm <sup>2</sup> /s 40 °C |
|----------------------|---------------------------------|

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (92128-66-0)

|               |                                 |
|---------------|---------------------------------|
| LC50/96h/fish | 11,4 mg/l (Oncorhynchus mykiss) |
|---------------|---------------------------------|

|                        |        |
|------------------------|--------|
| EC50/48h/daphnia magna | 3 mg/l |
|------------------------|--------|

|                                    |  |
|------------------------------------|--|
| EC50 - Other aquatic organisms [1] | 30 – 100 mg/l (72h, Pseudokirchneriella subcapitata) |
|------------------------------------|--|

|                |                                    |
|----------------|------------------------------------|
| LOEC (chronic) | 0,32 mg/l (21 days, Daphnia magna) |
|----------------|------------------------------------|

|                |                                    |
|----------------|------------------------------------|
| NOEC (chronic) | 0,17 mg/l (21 days, Daphnia magna) |
|----------------|------------------------------------|

### Pentane (109-66-0)

|               |             |
|---------------|-------------|
| LC50/96h/fish | 1 – 10 mg/l |
|---------------|-------------|

|                        |          |
|------------------------|----------|
| EC50/48h/daphnia magna | 9,7 mg/l |
|------------------------|----------|

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Other adverse effects : Harmful to fishes.

Additional information : Avoid release to the environment. Danger to drinking water, even if small amounts leak into the subsoil. Harmful to aquatic life with long lasting effects.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.

Waste / unused products : Avoid release to the environment. Do not dispose of with domestic waste.

European List of Waste (LoW, EC 2000/532) : 13 02 08\* - other engine, gear and lubricating oils  
15 01 04 - metallic packaging

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

### 14.1. UN number or ID number

UN-No. (ADR) : UN 1950

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

UN-No. (IMDG) : UN 1950

UN-No. (IATA) : UN 1950

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : AEROSOLS, flammable

Proper Shipping Name (IMDG) : AEROSOLS

Proper Shipping Name (IATA) : Aerosols, flammable

Transport document description (ADR) : UN 1950 AEROSOLS, flammable, 2.1, (D)

Transport document description (IMDG) : UN 1950 AEROSOLS, 2

Transport document description (IATA) : UN 1950 Aerosols, flammable, 2.1

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 2.1

Danger labels (ADR) : 2.1



#### IMDG

Transport hazard class(es) (IMDG) : 2.1

Danger labels (IMDG) : 2.1



#### IATA

Transport hazard class(es) (IATA) : 2.1

Danger labels (IATA) : 2.1



### 14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Further information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : 5F

Limited quantities (ADR) : 1I

Transport category (ADR) : 2

Tunnel restriction code : D

#### Transport by sea

Limited quantities (IMDG) : 1 L

EmS-No. (Fire) : F-D

EmS-No. (Spillage) : S-U

#### Air transport

No data available



# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU Regulations

##### REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

##### REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

##### REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

##### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

##### POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

##### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

##### VOC Directive (2004/42)

V.O.C. (V.O.S.) : 296,8 g/l

##### Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

##### Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Indication of changes

| Section | Changed item  | Change | Comments |
|---------|---------------|--------|----------|
|         | Last revision |        |          |
|         | Supersedes    |        |          |
| 2.3     |               |        |          |
| 8.1     |               |        |          |
| 8.2     |               |        |          |
| 9.1     |               |        |          |
| 9.2     |               |        |          |
| 11.2.   |               |        |          |
| 12.6    |               |        |          |
| 12.7    |               |        |          |
| 15      |               |        |          |
| 16      |               |        |          |

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Abbreviations and acronyms: |   |
|-----------------------------|---|
|                             | ACGIH = American Conference of Governmental Industrial Hygienists   |
|                             | ADR = Accord européen sur le transport des marchandises dangereuses par Route   |
|                             | ATE = Acute Toxicity Estimate   |
|                             | CAS = Chemical Abstracts Service  |
|                             | CLP = Classification, labelling and packaging   |
|                             | CSR = Chemical Safety Report  |
|                             | DMEL = Derived Minimal Effect Level   |
|                             | DNEL = Derived No-Effect Level  |
|                             | DPD = Dangerous Preparation Directive   |
|                             | DSD = Dangerous Substance Directive   |
|                             | EINECS/ELINCS = European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.   |
|                             | GHS = Globally Harmonized System of Classification and Labelling of Chemicals   |
|                             | HTP = Haitallisiksi tunnetut pitoisuudet  |
|                             | IATA = International Air Transport Association  |
|                             | ICAO = International Civil Aviation Organization  |
|                             | IMDG = International Maritime Code for Dangerous Goods  |
|                             | IOELV = Indicative Occupational Exposure Limit Value (EU)   |
|                             | LC50 = Lethal concentration, 50 percent   |
|                             | LD50 = Lethal dose, 50 percent  |
|                             | LEL = Lower Explosion Limit   |
|                             | MAK = Maximale Arbeitsplatzkonzentrationen  |
|                             | MAL-kode = Måleteknisk Arbejdshygiejnisk Luftbehov  |
|                             | N.O.S. = Not Otherwise Specified  |
|                             | NDS = Najwyższe Dopuszczalne Stężenie   |
|                             | NDSch = Najwyższe Dopuszczalne Stężenie Chwilowe  |
|                             | OEL = Occupational Exposure Limits  |
|                             | PBT = Persistent, bioaccumulative and toxic   |
|                             | PNEC = Predicted No-Effect Concentration  |
|                             | REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  |
|                             | RID = Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail). |
|                             | STEL = Short term exposure limit  |
|                             | STOT RE = specific target organ toxicity repeated exposure  |
|                             | STOT SE = specific target organ toxicity single exposure  |
|                             | SVHC = Substance of Very High Concern   |
|                             | TLV = Threshold Limit Value   |
|                             | TRGS = Technischen Regeln für Gefahrstoffe  |
|                             | TWA = time weighted average   |
|                             | UEL = Upper Explosion Limit   |
|                             | VLA-EC = valores límite ambientales para la exposición de corta duración  |
|                             | VLA-ED = valores límite ambientales para la exposición diaria   |
|                             | VLE = Valeur Limite d'exposition  |
|                             | VME = Valeur Limite de Moyenne d'exposition   |

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms:

|  |   |
|--|---|
|  | VOC = Volatile Organic Compounds                |
|  | vPvB = very Persistent and very Bioaccumulative |
|  | WGK = Wassergefährdungsklasse                   |

### Full text of H- and EUH-statements:

|                     |  |
|---------------------|--|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4                                      |
| Aerosol 1           | Aerosol, Category 1  |
| Aquatic Acute 1     | Hazardous to the aquatic environment – Acute Hazard, Category 1        |
| Aquatic Chronic 1   | Hazardous to the aquatic environment – Chronic Hazard, Category 1      |
| Aquatic Chronic 2   | Hazardous to the aquatic environment – Chronic Hazard, Category 2      |
| Aquatic Chronic 3   | Hazardous to the aquatic environment – Chronic Hazard, Category 3      |
| Asp. Tox. 1         | Aspiration hazard, Category 1  |
| Eye Dam. 1          | Serious eye damage/eye irritation, Category 1                          |
| Flam. Gas 1A        | Flammable gases, Category 1A   |
| Flam. Liq. 2        | Flammable liquids, Category 2  |
| H220                | Extremely flammable gas.   |
| H222                | Extremely flammable aerosol.   |
| H225                | Highly flammable liquid and vapour.                                    |
| H229                | Pressurised container: May burst if heated.                            |
| H280                | Contains gas under pressure; may explode if heated.                    |
| H302                | Harmful if swallowed.  |
| H304                | May be fatal if swallowed and enters airways.                          |
| H314                | Causes severe skin burns and eye damage.                               |
| H315                | Causes skin irritation.  |
| H318                | Causes serious eye damage.   |
| H336                | May cause drowsiness or dizziness.                                     |
| H373                | May cause damage to organs through prolonged or repeated exposure.     |
| H400                | Very toxic to aquatic life.  |
| H410                | Very toxic to aquatic life with long lasting effects.                  |
| H411                | Toxic to aquatic life with long lasting effects.                       |
| H412                | Harmful to aquatic life with long lasting effects.                     |
| Press. Gas          | Gases under pressure   |
| Press. Gas (Comp.)  | Gases under pressure : Compressed gas                                  |
| Skin Corr. 1B       | Skin corrosion/irritation, Category 1, Sub-Category 1B                 |
| Skin Irrit. 2       | Skin corrosion/irritation, Category 2                                  |
| STOT RE 2           | Specific target organ toxicity – Repeated exposure, Category 2         |
| STOT SE 3           | Specific target organ toxicity – Single exposure, Category 3, Narcosis |

# High-Tef Oil 500 ml

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

---

### Disclaimer with regard to REACH:

The information provided in this Safety Data Sheet is consistent with the information in the Chemical Safety Report, as far as this information was available at the time of compilation (see last revision date).

### Disclaimer:

The information of this Safety Data Sheet is based on the present state of our knowledge and on current EC and national laws, as the users' working conditions are beyond our knowledge and control. The user is always responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this Safety Data Sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information provided relates only to the specific product designated and may not be valid for such product used in combination with any other product. The product must not be used for any purposes other than those specified without first obtaining written handling instructions.