



Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 First edition: 18/12/2007 Last revision: 21/12/2022 Supersedes version of: 18/07/2019 Version: 7.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Name : Innoplast Cleaner 500 ml

Product number : 04.1155.6135

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Use of the substance or preparation : Innoplast Cleaner is a specially developed liquid cleaner for almost any type of plastic.

1.2.2. Uses advised against

No information available

1.3. Details of the supplier of the safety data sheet

PCS Innotec International NV

Schans 4

BE - 2480 Dessel T.: +32 (0) 14 32 60 01 F.: +32 (0) 14 32 60 12 hse@innotec.eu

Distributor:

Innotec Supplies Ltd.

Unit 25 Glenmore Business Park,

Telford RD

UK - SP2 7GL Salisbury, Wiltshire

T.: +44 (0)1722411744 F.: +44 (0)1722411788 info@innotecworld.com

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

BIG: +32 (0) 14 58 45 45

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) no 1272/2008 (CLP)

Skin Corr. 1B H314

Full text of hazard classes, H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) : Danger

Contains : Potassium hydroxide; 2-Aminoethanol

Hazard statements (CLP) : H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) : P260 - Do not breathe vapours, spray.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

contact lenses, if present and easy to do. Continue rinsing. P363 - Wash contaminated clothing before reuse. P310 - Immediately call a POISON CENTER, a doctor.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	Classification according to Regulation (EC) no 1272/2008 (CLP)
Potassium hydroxide	CAS number: 1310-58-3 EINECS / ELINCS number: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	< 5	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
2-Aminoethanol	CAS number: 141-43-5 EINECS / ELINCS number: 205-483-3 REACH-no: 01-2119486455- 28	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Chronic 3, H412
2-(2-butoxyethoxy)ethanol	CAS number: 112-34-5 EINECS / ELINCS number: 203-961-6 REACH-no: 01-2119475104- 44	< 5	Eye Irrit. 2, H319
trisodium nitrilotriacetate	CAS number: 5064-31-3 EINECS / ELINCS number: 225-768-6 EC Index-No.: 607-620-00-6 REACH-no: 01-2119519239- 36	< 5	Carc. 2, H351 Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319
Cocamidopropylbetaïne	CAS number: 61789-40-0 EINECS / ELINCS number: 263-058-8	< 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Potassium hydroxide	CAS number: 1310-58-3 EINECS / ELINCS number: 215-181-3 EC Index-No.: 019-002-00-8 REACH-no: 01-2119487136- 33	(0,5 ≤C < 2) Eye Irrit. 2, H319 (0,5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314
2-Aminoethanol	CAS number: 141-43-5 EINECS / ELINCS number: 205-483-3 REACH-no: 01-2119486455- 28	(5 ≤C ≤ 100) STOT SE 3, H335
trisodium nitrilotriacetate	CAS number: 5064-31-3 EINECS / ELINCS number: 225-768-6 EC Index-No.: 607-620-00-6 REACH-no: 01-2119519239- 36	(5 ≤C ≤ 100) Carc. 2, H351

Full text of H- and EUH-statements: see section 16

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice : If you feel unwell, seek medical advice.

: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable Inhalation

for breathing.

Skin contact : Take off immediately all contaminated clothing. Wash with plenty of water/....

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

Ingestion Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : Headache. Blackout. Nausea. Feeling of weakness. Unconsciousness.

Skin contact : Causes severe burns. Corrosive. Redness, pain. Eyes contact : Corrosive. Redness, pain. Blurred vision.

Ingestion : Corrosive. Difficulty in breathing. Vomiting. Blisters on lips and tongue. Burning sensation.

4.3. Indication of any immediate medical attention and special treatment needed

No information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Alcohol resistant foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

No information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire fighting water from

entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

: Wear suitable protective clothing. Keep upwind. General measures

6.1.1. For non-emergency personnel

: Refer to protective measures listed in sections 7 and 8. Protective equipment

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

This product and its container must be disposed of in a safe way, and as per local Methods for cleaning up

legislation. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

Other information : Ensure adequate ventilation

6.4. Reference to other sections

Stable in handling and storage conditions as recommended in section 7. Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning: see section 13.

SECTION 7: Handling and storage

.1. Precautions for safe handling

Precautions for safe handling Do not eat, drink or smoke when using this product. Use personal protective equipment as

required.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Store in a dry place. Keep away from

ignition sources.

Technical condition(s) : Impermeable underground / retention basin. Store in a well-ventilated place.

Special rules on packaging : Keep container tightly closed and dry. Keep only in original container. Keep out of frost.

7.3. Specific end use(s)

No information available

21/12/2022 (Revision date) EN (English) 3/12

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

8.1.1 National occupational exposure and biological limit values Potassium hydroxide (1310-58-3)		
United Kingdom - Occupational Exposure Limits		
Local name	Potassium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
2-Aminoethanol (141-43-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-Aminoethanol	
IOEL TWA	2,5 mg/m³	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	7,6 mg/m³	
IOEL STEL [ppm]	3 ppm	
Remark	Skin	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	2-Aminoethanol	
WEL TWA (OEL TWA) [1]	2,5 mg/m³	
WEL TWA (OEL TWA) [2]	1 ppm	
WEL STEL (OEL STEL)	7,6 mg/m³	
WEL STEL (OEL STEL) [ppm]	3 ppm	
Remark	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
2-(2-butoxyethoxy)ethanol (112-34-5)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	2-(2-Butoxyethoxy)ethanol	
IOEL TWA	67,5 mg/m³	
IOEL TWA [ppm]	10 ppm	
IOEL STEL	101,2 mg/m³	
IOEL STEL [ppm]	15 ppm	
Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC	
United Kingdom - Occupational Exposure Limits		
Local name	2-(2-Butoxyethoxy)ethanol	
WEL TWA (OEL TWA) [1]	67,5 mg/m³	
WEL TWA (OEL TWA) [2]	10 ppm	
WEL STEL (OEL STEL)	101,2 mg/m³	
WEL STEL (OEL STEL) [ppm]	15 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No information available

8.1.3. Air contaminants formed

No information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

Potassium hydroxide (1310-58-3)	
DNEL/DMEL (Workers)	
Long-term - local effects, inhalation 1 mg/m³	

8.1.5. Control banding

No information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

In case of inadequate ventilation wear respiratory protection. Gloves. Safety glasses.

Personal protective equipment symbol(s):







8.2.2.1. Eye and face protection

Eye protection:

In case of splash hazard: safety glasses

8.2.2.2. Skin protection

Skin protection:

Wear suitable protective clothing.

Hand protection:

Where hand contact with the product may occur, the use of gloves (approved according to the EN374 standard) made from the following materials may provide suitable chemical protection: Nitrile rubber. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes. For short-term/splash protection we recommend the same, but recognise that suitable gloves offering this level of protection may not be available. In this case a lower breakthrough time may be acceptable as long as appropriate glove maintenance and replacement regimes are rigorously followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Depending on model and material, glove thickness generally should be greater than 0,35 mm. Suitability and durability of a glove is dependent on usage (= frequency and duration of contact), chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate breathing apparatus if air renewal not sufficient to maintain dust/vapour under TLV. Recommended: filter type ABEK

8.2.2.4. Thermal hazards

No information available

8.2.3. Environmental exposure controls

No information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties
Physical state : Liquid
Colour : Transparent.
Odour : characteristic.
Odour threshold : Not available
Melting point/melting range : -3 °C
Freezing point : Not available

Freezing point : Not available Boiling point/range : 100 - 233 °C Flammability : Not available Explosive limits : 0.85 - 24.6 vol %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Lower explosion limit: Not availableUpper explosion limit: Not availableFlash point: Not availableAuto-ignition temperature: 200 °CDecomposition temperature: Not available

pH : 14
Viscosity, kinematic : 1 mm²/s
Viscosity, dynamic : 1 mPa.s

Solubility : Water: completely soluble

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : 35 Pa
Vapour pressure at 20 °C : Not available
Density : Not available
Relative density (water = 1) : 1,035
Vapour density : Not available
Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Explosion limits : 0.85 - 24.6 vol %

9.2.2. Other safety characteristics

Evaporation rate : 0,3 V.O.C. (V.O.S.) : 67,793 g/l

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No information available

10.4. Conditions to avoid

Extremely high or low temperatures. Direct sunlight.

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Potassium hydroxide (1310-58-3)		
LD50/oral/rat	356 mg/kg	
LD50/dermal/rabbit	≥ 5000 mg/kg	
LC50/inhalation/4h/rat	≥ 50 mg/l	
2-Aminoethanol (141-43-5)		
LD50/oral/rat	1089 mg/kg	
LD50/dermal/rabbit	2504 mg/kg	
LC50/inhalation/4h/rat	11 mg/l	
2-(2-butoxyethoxy)ethanol (112-34-5)		
LD50/oral/rat	3305 mg/kg	
LD50/dermal/rabbit	2764 mg/kg	
LC50/inhalation/4h/rat	≥ 50 mg/l	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

trisodium nitrilotriacetate (5064-31-3)	
LD50/oral/rat	1300 mg/kg
LD50/dermal/rabbit	≥ 5000 mg/kg
LC50/inhalation/4h/rat	≥ 50 mg/l
Cocamidopropylbetaïne (61789-40-0)	
LD50/oral/rat	≥ 5000 mg/kg
LD50/dermal/rabbit	≥ 5000 mg/kg
LC50/inhalation/4h/rat	≥ 50 mg/l
Skin corrosion/irritation	: Causes severe skin burns.
	pH: 14
Serious eye damage/irritation	: Assumed to cause serious eye damage
	pH: 14
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
2-Aminoethanol (141-43-5)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Innoplast Cleaner 500 ml	
Viscosity, kinematic	1 mm²/s

11.2. Information on other hazards

No information available

SECTION 12: Ecological information

12	1	To	vi	city

Hazards identification : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

: Not classified Hazardous to the aquatic environment, long-term

(chronic)		
2-Aminoethanol (141-43-5)		
LC50/96h/fish	349 mg/l	
EC50/48h/daphnia magna	65 mg/l	
EC50 72h - Algae [1]	2,1 – 2,8 mg/l	
NOEC (chronic)	850 mg/l	
NOEC chronic fish	1,24 mg/l Oryzias latipes	
NOEC chronic algae	1 mg/l	
2-(2-butoxyethoxy)ethanol (112-34-5)		
LC50/96h/fish	1300 mg/l (Lepomis microlophus)	
EC50/48h/daphnia magna	> 100 mg/l	
EC50 - Other aquatic organisms [1]	255 mg/l Bacteria	
ErC50 algae	> 100 mg/l	
trisodium nitrilotriacetate (5064-31-3)		
LC50/96h/fish	114 mg/l	
EC50 - Other aquatic organisms [1]	98 mg/l Daphnia magna, 96 h	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

trisodium nitrilotriacetate (5064-31-3)	
EC50 72h - Algae [1]	91,5 – 100 mg/l
NOEC (chronic)	12,5 mg/l Daphnia magna
NOEC chronic fish	60,2 mg/l
NOEC chronic algae	1,43 - 1,56
12.2. Persistence and degradability	
Innoplast Cleaner 500 ml	
Persistence and degradability	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.
12.3. Bioaccumulative potential	
2-Aminoethanol (141-43-5)	
Partition coefficient n-octanol/water (Log Pow)	-2,3 – -1,31
trisodium nitrilotriacetate (5064-31-3)	
Partition coefficient n-octanol/water (Log Pow)	-31,22,62

12.4. Mobility in soil

No information available

12.5. Results of PBT and vPvB assessment

No information available

12.6. Endocrine disrupting properties

No information available

12.7. Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Waste / unused products : Avoid release to the environment. Should not be landfilled with household waste.

European List of Waste (LoW) code : 16 10 01* - aqueous liquid wastes containing dangerous substances

15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

In accordance with ADR / IMDG

14.1. UN number or ID number

UN-No. (ADR) : UN 1719 UN-No. (IMDG) : UN 1719

14.2. UN proper shipping name

Proper Shipping Name (ADR) : CAUSTIC ALKALI LIQUID, N.O.S.
Proper Shipping Name (IMDG) : CAUSTIC ALKALI LIQUID, N.O.S.

Transport document description (ADR)

: UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Mixture with potassium hydroxide), 8, III

Transport document description (IMDG)

: UN 1719 CAUSTIC ALKALI LIQUID, N.O.S. (Mixture with potassium hydroxide), 8, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878



14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Further information : No supplementary information available

14.6. Special precautions for user

Overland transport

Limited quantities (ADR) : 5I
Transport category (ADR) : 3
Hazard identification number (Kemler No.) : 80

Orange plates

80 1719

Transport by sea

Limited quantities (IMDG) : 5 L
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU Regulations

Ingredients according to the Regulation (EC) : < 5% NTA (nitrilotriacetic acid) and salts thereof, < 5% amphoteric surfactants 648/2004 on detergents

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

V.O.C. (V.O.S.) : 67,793 g/l

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16:	Other information			
Indication of ch	Indication of changes			
Section	Changed item	Change	Comments	
	Last revision			
	Supersedes			
2.3				
8.1				
8.2				
9.1				
9.2				
11.2.				
12.6				
12.7				
15				
16				

Abbreviations and acronyms:		
	ACGIH = American Conference of Governmental Industrial Hygienists	
	ADR = Accord européen sur le transport des marchandises dangereuses par Route	
	ATE = Acute Toxicity Estimate	
	CAS = Chemical Abstracts Service	
	CLP = Classification, labelling and packaging	
	CSR = Chemical Safety Report	
	DMEL = Derived Minimal Effect Level	
	DNEL = Derived No-Effect Level	
	DPD = Dangerous Preparation Directive	
	DSD = Dangerous Substance Directive	
	EINECS/ELINCS = European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.	
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals	
	HTP = Haitallisiksi tunnetut pitoisuudet	
	IATA = International Air Transport Association	
	ICAO = International Civil Aviation Organization	
	IMDG = International Maritime Code for Dangerous Goods	
	LC50 = Lethal concentration, 50 percent	
	IOELV = Indicative Occupational Exposure Limit Value (EU)	
	LD50 = Lethal dose, 50 percent	
	LEL = Lower Explosion Limit	
	MAK = Maximale Arbeitsplatzkonzentrationen	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acro	nyms:
	MAL-kode = Måleteknisk Arbejdshygiejnisk Luftbehov
	N.O.S. = Not Otherwise Specified
	NDS = Najwyższe Dopuszczalne Stężenie
	NDSCh = Najwyższe Dopuszczalne Stężenie Chwilowe
	OEL = Occupational Exposure Limits
	PBT = Persistent, bioaccumulative and toxic
	PNEC = Predicted No-Effect Concentration
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	RID = Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail).
	STEL = Short term exposure limit
	STOT RE = specific target organ toxicity repeated exposure
	STOT SE = specific target organ toxicity single exposure
	SVHC = Substance of Very High Concern
	TLV = Threshold Limit Value
	TRGS = Technischen Regeln für Gefahrstoffe
	TWA = time weighted average
	VLA-EC = valores límite ambientales para la exposición de corta duración
	VLA-ED = valores límite ambientales para la exposición diaria
	UEL = Upper Explosion Limit
	VLE = Valeur Limite d'exposition
	VME = Valeur Limite de Moyenne d'exposition
	VOC = Volatile Organic Compounds
	vPvB = very Persistent and very Bioaccumulative
	WGK = Wassergefärhdungsklasse

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H412	Harmful to aquatic life with long lasting effects.
Met. Corr. 1	Corrosive to metals, Category 1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Disclaimer with regard to REACH:

The information provided in this Safety Data Sheet is consistent with the information in the Chemical Safety Report, as far as this information was available at the time of compilation (see last revision date).

Disclaimer:

The information of this Safety Data Sheet is based on the present state of our knowledge and on current EC and national laws, as the users' working conditions are beyond our knowledge and control. The user is always responsible for ensuring that the requirements of relevant legislation are complied with. The information contained in this Safety Data Sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The information provided relates only to the specific product designated and may not be valid for such product used in combination with any other product. The product must not be used for any purposes other than those specified without first obtaining written handling instructions.